

container



roller container (CR.A1)

roller container CR.A1

- stainless steel
- with transparent plastic cover
- 4 lockable guide rollers
- sideways guide pipe for single-walled suction pipes (max. Ø50)

	volume	Ø	H	α
CR.A1.0060.0400.1.CR	60 l	400	735	90°
CR.A1.0120.0450.1.CR	120 l	450	995	90°
CR.A1.0240.0630.1.CR	240 l	630	1040	90°




laser cutting



rounding



longitudinal welding



curling

roller container (CR.A1)

cover for vacuum conveyor

- stainless steel
- removable (2 handles)



foldaway cover

- stainless steel
- 2 openings for suction pipes



	Ø	connection dimensions*
CR.Z.DECKEL.450.KOC.1	450	Di 60; 4 x M8 (95x95)
CR.Z.DECKEL.450.MOT.1	450	Di 175; LKR 195 (8 x M6)
CR.Z.DECKEL.450.MOT.2	450	Di 240; LKR 260 (8 x M6)
CR.Z.DECKEL.450.MOT.3	450	Di 300; LKR 325 (8 x M6)
CR.Z.DECKEL.450.PIO.1	450	Di 240; LKR 280 (4 x M8)
CR.Z.DECKEL.450.WIT.1	450	Di 200; LKR 226 (6 x M6)
CR.Z.DECKEL.630.KOC.1	630	Di 60; 4 x M8 (95x95)
CR.Z.DECKEL.630.MOT.1	630	Di 175; LKR 195 (8 x M6)
CR.Z.DECKEL.630.MOT.2	630	Di 240; LKR 260 (8 x M6)
CR.Z.DECKEL.630.MOT.3	630	Di 300; LKR 325 (8 x M6)
CR.Z.DECKEL.630.PIO.1	630	Di 240; LKR 280 (4 x M8)
CR.Z.DECKEL.630.PSY.1	630	Di 190; LKR 210 (8 x M6)
CR.Z.DECKEL.630.WIT.1	630	Di 200; LKR 226 (6 x M6)

*other connection dimensions according to specifications

	Ø
CR.Z.DECKEL.630.9	630

clip

- for material card



CR.Z.CLIP

suction pipe (SGL.1A) single-walled

- stainless steel
- insertable in sideways guide pipe




	Ø	container volume	length
SGL.1A.038.0500.CR	38	60/120 l	530
SGL.1A.040.0500.CR	40	60/120 l	530
SGL.1A.045.0500.CR	45	60/120 l	530
SGL.1A.050.0500.CR	50	60/120 l	530
SGL.1A.030.0800.CR	30	240 l	820
SGL.1A.038.0800.CR	38	240 l	820
SGL.1A.040.0800.CR	40	240 l	820
SGL.1A.045.0800.CR	45	240 l	820
SGL.1A.050.0800.CR	50	240 l	820

suction pipe (SGL.2A) double walled

- stainless steel
- insertable from above



	Ø	length
SGL.2A.038.1000.CR	38	1000
SGL.2A.040.1000.CR	40	1000
SGL.2A.045.1000.CR	45	1000
SGL.2A.050.1000.CR	50	1000
SGL.2A.060.1000.CR	60	1000
SGL.2A.065.1000.CR	65	1000
SGL.2A.070.1000.CR	70	1000
SGL.2A.076.1000.CR	76	1000




spinning

roller container (CR.B1 / CR.B2)

roller container CR.B1


- stainless steel
- 4 steel feet (RAL9005)
- 2 fixed rollers and 2 lockable guide rollers



	volume	Ø	H	h	α
CR.B1.0120.0630.1.CR	120 l	630	750	170	90°
CR.B1.0215.0630.1.CR	215 l	630	1030	170	90°

roller container CR.B2

- stainless steel
- 4 steel feet (RAL9005)
- 2 fixed rollers and 2 lockable guide rollers



	volume	Ø	H	h	α
CR.B2.0120.0630.1.CR	120 l	630	1035	460	90°
CR.B2.0215.0630.1.CR	215 l	630	1320	460	90°

roller container (CR.B1 / CR.B2)

cover

- plastics



	Ø	color
CR.Z.DECKEL.630.1	630	transparent
CR.Z.DECKEL.630.9	630	black

foldaway cover

- stainless stell
- 2 openings for suction pipes



	Ø
CR.Z.DECKEL.630.9	630

cover for vacuum conveyor

- stainless steel
- removable (2 handles)



	Ø	connecting dimensions*
CR.Z.DECKEL.630.KOC.1	630	Di 60; 4 x M8 (95x95)
CR.Z.DECKEL.630.MOT.1	630	Di 175; LKR 195 (8 x M6)
CR.Z.DECKEL.630.MOT.2	630	Di 240; LKR 260 (8 x M6)
CR.Z.DECKEL.630.MOT.3	630	Di 300; LKR 325 (8 x M6)
CR.Z.DECKEL.630.PIO.1	630	Di 240; LKR 280 (4 x M8)
CR.Z.DECKEL.630.PSY.1	630	Di 190; LKR 210 (8 x M6)
CR.Z.DECKEL.630.VIT.1	630	Di 200; LKR 226 (6 x M6)

*other connection dimensions according to specifications

grid

- stainless steel



	Ø
CR.Z.ROST.630.01.CR	630

clip

- for material card



CR.Z.CLIP

suction box


- stainless steel
- 1-way and 2-way
- Ø 38 - 60



		Ø	length
ASK.CR.1	suction box 1-way		
ASK.CR.2	suction box 2-way		
SGL.1A.038.0300.CR		38	300
SGL.1A.040.0300.CR		40	300
SGL.1A.045.0300.CR		45	300
SGL.1A.050.0300.CR		50	300
SGL.1A.060.0300.CR		60	300

slide valve


- stainless steel



	Ø	h
CR.Z.SCHIEBER.01.CR	150	430

pipe butterfly valve

- stainless steel



	Ø	h
J.KLAPPE.DROSSEL.150.CR	150	310

container (CE.A1)


6

container CE.A1

- aluminium / stainless steel
- 4 steel feet (RAL9005)
- height adjustable
- foldaway cover with stop
- support for grid
- opening for vacuum conveyor on the roof (closed by plate)
- opening for level indicator in the cone (closed by plate)



image: stainless steel container



aluminium container	stainless steel container	volume	□	H1	H2	h1*	h2	α
CE.A1.0400.1000.1000.90.02.AL	CE.A1.0400.1000.1000.90.01.CR	400 l	1000	920	1355	200	322	90°
CE.A1.0500.1000.1000.90.02.AL	CE.A1.0500.1000.1000.90.01.CR	500 l	1000	1005	1440	200	322	90°
CE.A1.0500.1200.1200.90.02.AL	CE.A1.0500.1200.1200.90.01.CR	500 l	1200	960	1495	200	392	90°
CE.A1.0750.1200.1200.90.02.AL	CE.A1.0750.1200.1200.90.01.CR	750 l	1200	1110	1645	200	392	90°


*adjustable for height 75, 300 or 400 mm

container CE.A1

- aluminium / stainless steel container
- 4 steel feet (RAL9005)
- foldaway cover with stop
- support for grid
- opening for vacuum conveyor on the roof (closed by plate)
- opening for max and min indicator (closed by plate)
- inspection opening (450 x 300 mm) with sight glass



image: stainless steel container



aluminium container	stainless steel container	volume	□	H1	H2	H3	h1	h2	h3	α
CE.A1.1000.1200.1200.90.02.AL	CE.A1.1000.1200.1200.90.01.CR	1000 l	1200	1510	2045	1170	400	392	1255	90°
CE.A1.1500.1200.1200.90.02.AL	CE.A1.1500.1200.1200.90.01.CR	1500 l	1200	1860	2395	1170	400	392	1605	90°
CE.A1.2000.1200.1200.90.02.AL	CE.A1.2000.1200.1200.90.01.CR	2000 l	1200	2210	2745	1170	400	392	1955	90°
CE.A1.2000.1500.1500.90.02.AL	CE.A1.2000.1500.1500.90.01.CR	2000 l	1500	1800	2335	1320	400	498	1445	90°
CE.A1.2500.1500.1500.90.02.AL	CE.A1.2500.1500.1500.90.01.CR	2500 l	1500	2020	2555	1320	400	498	1665	90°
CE.A1.3000.1500.1500.90.02.AL	CE.A1.3000.1500.1500.90.01.CR	3000 l	1500	2270	2805	1320	400	498	1915	90°
CE.A1.4000.1500.1500.90.02.AL	CE.A1.4000.1500.1500.90.01.CR	4000 l	1500	2720	3255	1320	400	498	2365	90°
CE.A1.4800.1500.1500.90.02.AL	CE.A1.4800.1500.1500.90.01.CR	4800 l	1500	3070	3605	1320	400	498	2715	90°

container (CE.A1)

7

grid

- stainless steel



	container dimension
CE.Z.ROST.1000.CR	□ 1000
CE.Z.ROST.1200.CR	□ 1200
CE.Z.ROST.1500.CR	□ 1500

pneumatic spring for cover

- add-on kit



CE.Z.DACH.GASDRUCKFCR

adapter plate for vacuum conveyor

- stainless steel



	connecting dimensions*
CE.Z.ADAPT.SFG.KOC.01.CR	Di 226; 4 x M8 (190x190)
CE.Z.ADAPT.SFG.MOT.01.CR	Di 175; LKR 195 (8 x M6)
CE.Z.ADAPT.SFG.MOT.02.CR	Di 240; LKR 260 (8 x M6)
CE.Z.ADAPT.SFG.MOT.03.CR	Di 300; LKR 325 (8 x M6)
CE.Z.ADAPT.SFG.PI0.01.CR	Di 240; LKR 280 (4 x M8)
CE.Z.ADAPT.SFG.WIT.01.CR	Di 300; LKR 354 (6 x M6)
CE.Z.ADAPT.SFG.PRO.01.CR	Di 208; LKR 245 (4 x M8)

*other connection dimensions according to specifications

suction box (ASK.CE)

- stainless steel
- h1 min. 200 mm required



	description
ASK.CE.1	suction box 1-way
ASK.CE.2	suction box 2-way

suction pipe for suction box

- stainless steel



	description	Ø
ASK.SL.C.038.SIEB	Saugrohr	38
ASK.SL.C.040.SIEB	Saugrohr	40
ASK.SL.C.045.SIEB	Saugrohr	45
ASK.SL.C.050.SIEB	Saugrohr	50
ASK.SL.C.060.SIEB	Saugrohr	60
ASK.SL.C.065.SIEB	Saugrohr	65
ASK.SL.C.070.SIEB	Saugrohr	70
ASK.SL.C.076.SIEB	Saugrohr	76

suction box (ASK.SL)


- stainless steel
- h1 min. 300 mm required



	description
ASK.SL.A.CE	adapter plate for container connection
ASK.SL.B.4	suction box 4-way

swiveling arm


- stainless steel
- for rest drawdown



CE.Z.RESTENTLEERUNG.CR

sleeve with plate

- stainless steel
- with plastic plug



	size
CE.Z.GM.10.CR	1"
CE.Z.GM.15.CR	1 1/2"

roller

- 2 fixed rollers and 2 lockable guide rollers
- max. container size = 750 l




	h
CE.Z.ROLLEN.CR	155

container CE.A1

signal lamp with level indicator and cabling

8



	description	power supply
CE.Z.LEUCHTE.01.230V	permanent warning lamp	230 V (50 Hz)
CE.Z.LEUCHTE.01.024V	permanent warning lamp	24 V DC
CE.Z.LEUCHTE.02.230V	flash lamp	230 V (50 Hz)
CE.Z.LEUCHTE.02.024V	flash lamp	24 V DC

	description	power supply
FÜ.MIN.4020.0170.01	level indicator	24V (DC) + 230 V (50Hz)

	description
CE.Z.VVK.1.1	cabling „1 level indicator + 1 lamp“
CE.Z.VVK.2.1	cabling „2 level indicator + 1 lamp“


standard containers (CR.B1 / CR.B2) compiled out of the modular system



container

standard containers (CE.A1) compiled out of the modular system

9




container

special containers on the basis of the technical standard

10



11



AJ Solutions BVBA
Vierselbaan 40 unit 14/15
B - 2240 Zandhoven
Belgium

 +32 3 366 24 55
 +32 3 311 75 87

info@ajsolutions.be
www.ajsolutions.be